



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁶ : A23L 1/0522	A1	(11) International Publication Number: WO 97/03573 (43) International Publication Date: 6 February 1997 (06.02.97)
(21) International Application Number: PCT/SE96/00872 (22) International Filing Date: 1 July 1996 (01.07.96) (30) Priority Data: 9502628-2 17 July 1995 (17.07.95) SE (71) Applicant (for all designated States except US): SVERIGES STÄRKELSEPRODUCENTER, FÖRENING UPA [SE/SE]; P.O. Box 75, S-374 22 Karlshamn (SE). (72) Inventor; and (75) Inventor/Applicant (for US only): STÅHL, Åke [SE/SE]; Vannarödsvägen 8, S-280 10 Sösdala (SE). (74) Agent: AWAPATENT AB; P.O. Box 5117, S-200 71 Malmö (SE).		(81) Designated States: AL, AM, AT, AT (Utility model), AU, AZ, BB, BG, BR, BY, CA, CH, CN, CZ, CZ (Utility model), DE, DE (Utility model), DK, DK (Utility model), EE, EE (Utility model), ES, FI, FI (Utility model), GB, GE, HU, IL, IS, JP, KE, KG, KP, KR, KZ, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SK (Utility model), TJ, TM, TR, TT, UA, UG, US, UZ, VN, ARIPO patent (KE, LS, MW, SD, SZ, UG), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG). Published <i>With international search report.</i> <i>In English translation (filed in Swedish).</i>
(54) Title: FILLING AGENT (57) Abstract The use of amylopectin-type starch obtained from potato that has been modified by genetic engineering to suppress the formation of amylose-type starch as a filling agent in the preservation of food-stuff, is described.		

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AM	Armenia	GB	United Kingdom	MW	Malawi
AT	Austria	GE	Georgia	MX	Mexico
AU	Australia	GN	Guinea	NE	Niger
BB	Barbados	GR	Greece	NL	Netherlands
BE	Belgium	HU	Hungary	NO	Norway
BF	Burkina Faso	IE	Ireland	NZ	New Zealand
BG	Bulgaria	IT	Italy	PL	Poland
BJ	Benin	JP	Japan	PT	Portugal
BR	Brazil	KE	Kenya	RO	Romania
BY	Belarus	KG	Kyrgyzstan	RU	Russian Federation
CA	Canada	KP	Democratic People's Republic of Korea	SD	Sudan
CF	Central African Republic	KR	Republic of Korea	SE	Sweden
CG	Congo	KZ	Kazakhstan	SG	Singapore
CH	Switzerland	LI	Liechtenstein	SI	Slovenia
CI	Côte d'Ivoire	LK	Sri Lanka	SK	Slovakia
CM	Cameroon	LR	Liberia	SN	Senegal
CN	China	LT	Lithuania	SZ	Swaziland
CS	Czechoslovakia	LU	Luxembourg	TD	Chad
CZ	Czech Republic	LV	Latvia	TG	Togo
DE	Germany	MC	Monaco	TJ	Tajikistan
DK	Denmark	MD	Republic of Moldova	TT	Trinidad and Tobago
EE	Estonia	MG	Madagascar	UA	Ukraine
ES	Spain	ML	Mali	UG	Uganda
FI	Finland	MN	Mongolia	US	United States of America
FR	France	MR	Mauritania	UZ	Uzbekistan
GA	Gabon			VN	Viet Nam

FILLING AGENT

The present invention relates to the use of amylopectin-type starch or derivatives thereof as a filling agent in the preservation of food-stuffs.

5 More precisely, the present invention relates to the use of amylopectin-type starch obtained from potato that has been modified by genetical engineering, to suppress the formation of amylose-type starch.

Background of the Invention

10 In the process of autoclaving and sterilisation of food-stuff containing solid pieces, a certain filling viscosity is required while the tin is being filled and conveyed on the belt conveyor, since it has been found that the liquid fraction of the tin contents easily
15 splashes over the tin rim. Another reason for a certain viscosity being desirable in the product is that it furthers an equal distribution of the solid pieces in the food-stuff mass. This feature is also important as products containing solid pieces are sterilised in a continuous process, for instance in the case of soups, which
20 are packed in an aseptic condition in the final packaging stage. Considering that the mass to be preserved often is in a hot condition during the filling stage, the operators concerned are exposed to scalding hazards from splash and slosh if the product is too thin during this stage.

25 Earlier on, this problem was solved by addition of traditional starch but the results were not satisfactory, because it produced an unwanted residual viscosity in the tin. Previously, naturally occurring potato flour, naturally occurring waxy maize starch, and waxy maize starch
30 to which isoascorbic acid or ascorbic acid had been added (to eliminate the residual viscosity in naturally occurring maize starch) were used within the canned goods industry to obtain the desired function. However, it has
35 been found that none of these additions produced a satisfactory result. Naturally occurring potato flour produces

residual viscosity and clouding, for instance during storage of clear liquids such as brine, in preserved vegetables, but also causes the product to thicken during storage. Naturally occurring waxy maize starch produces a certain residual viscosity but also some clouding of the solution. Although the addition of isoascorbic acid or ascorbic acid increases the clearness of the product, residual viscosity is generated to varying degrees as the acids are degraded by organic matter originating from other ingredients in the preserved product. Thus, problems arise in connection with the preservation, both on account of the undesired residual viscosity and of the clouding of the product, and it is desired within the canned goods industry that these problems be removed.

15 Object of the Invention

The object of the present invention is to eliminate the above-mentioned problems and provide a preservation method ensuring low residual viscosity and clearness in the product. This object is achieved by using amylopectin-type starch of the kind defined in the introduction, which starch additionally possesses the characteristics defined in the appended claims.

20 Summary of the Invention

In accordance with the present invention amylopectin-type of starch or derivatives thereof thus is used as a filling agent in the preservation of food-stuff.

The expression "amylopectin-type starch" as used throughout in the present description relates to starch obtained from potato that has been modified by genetical engineering to suppress the formation of amylose-type starch. The expression "derivatives thereof" relates to amylopectin-type starch that has been chemically, physically and/or enzymatically derivatised. The amylopectin contents of amylopectin-type starch are in excess of 95%, preferably in excess of 98%. The remaining ingredient in amylopectin-type starch is amylose.

For a detailed description of the above amylopectin-type starch and derivatives thereof and the manner in which they are produced reference is made to the Swedish Patent Specification 9004096-5 (Amylogene HB).

5 Naturally occurring potato starch contains about 80% amylopectin and about 20% amylose. The starch is contained in small grains, also denominated granules. When water and heat are added, the granules swell, with the result that the viscosity increases and amylose leaks from the
10 granules. When the amylose contents in the starch have been reduced to a low level, the starch granule becomes very fragile and easily breaks when boiled. This means that amylopectin-type starch used as a filling agent in the initial filling and conveyor transportation of the tin
15 possesses a sufficiently high degree of viscosity to meet the requirements at this stage of the preservation process, but that as a result of the subsequent heat treatment this viscosity drops to a desired residual viscosity level upon completion of the process cycle. This
20 means that no supplementary addition of viscosity-reducing acids need to be made, which otherwise is common practise. Since potato-derived starch has very low contents of residual protein and residual fat, there is not either any tendencies of cloudiness, which would otherwise be the
25 case, were for instance waxy maize starch to be used. The reason therefor is the extremely low contents of amylose in amylopectin-type starch. Otherwise, the cloudiness is related to the instability of amylose in solution.

By using amylopectin-type starch as a filling agent
30 in the preservation of food-stuff the earlier encountered problem with too high residual viscosity levels and cloudy products thus has been eliminated. A further advantage offered by the present invention is the prolongation of the storage life of the preserved product.

35 The example below aims at describing the present invention in more detail.

Example

A liquid to be preserved is heated to 70-80°C. The amylopectin-type starch used as a filling agent is formed into a slurry in twice the amount by weight of a cold liquid, such as water, whereafter it was admixed with the heated liquid while being stirred. After a brief period of time the starch has swelled and the desired viscosity is attained. The preparation is then ready to serve as a filling agent or to be subjected to further processing. To attain the desired viscosity a dosage of 0.5-3.5% by weight of the amylopectin-type starch, calculated on the total amount of liquid, is required. Upon continued maintenance of the temperature level, the amylopectin readily degrades, leading to decreasing viscosity. In this manner, a desired low level of residual viscosity is obtained in the product.

It is not previously known to use amylopectin-type starch as defined above as a filling agent in the preservation of food-stuff, and practical tests have shown the surprising combined effects of reduced residual viscosity, increased clearness in the product, and prolonged storage life.

CLAIMS

1. The use of amylopectin-type starch obtained from
5 potato that has been modified by genetic engineering to
suppress the formation of amylose-type starch, as a fill-
ing agent in the preservation of food-stuff.

2. The use in accordance with claim 1, wherein the
amylopectin-type starch contains more than 95% amylopec-
10 tin, preferably more than 98% amylopectin.

3. The use in accordance with claim 1, wherein one or
several derivatives of amylopectin-type starch that has
been chemically, physically and/or enzymatically deriva-
tised is added as a filling agent.

15 4. The use in accordance with any one of the preced-
ing claims, wherein the amylopectin-type starch or deriva-
tives thereof is added in an amount of 0.5-3.5% by weight,
calculated on the total amount of liquid in the food-stuff
to be preserved.

INTERNATIONAL SEARCH REPORT

International application No. PCT/SE 96/00872

A. CLASSIFICATION OF SUBJECT MATTER		
IPC6: A23L 1/0522 According to International Patent Classification (IPC) or to both national classification and IPC		
B. FIELDS SEARCHED		
Minimum documentation searched (classification system followed by classification symbols)		
IPC6: A23L		
Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched		
SE,DK,FI,NO classes as above		
Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)		
WPI, CLAIMS/US PATENTS, JAPIO, DIALINDEX(FOODSCI)		
C. DOCUMENTS CONSIDERED TO BE RELEVANT		
Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	Dialog Information Service, File 350, WPI, Dialog accession no. 000851368, WPI accession no. 72-11326T/07, (MORIMOTO S), "Strengthening paste foods - by addn of waxy starch", & JP 72004989 B, publ. 1972	1-4
	--	
A	WO 9211376 A1 (AMYLOGENE HB ET AL.), 9 July 1992 (09.07.92), claims 2-3	1-4
	--	

<input type="checkbox"/> Further documents are listed in the continuation of Box C. <input checked="" type="checkbox"/> See patent family annex.		
* Special categories of cited documents: "A" document defining the general state of the art which is not considered to be of particular relevance "E" earlier document but published on or after the international filing date "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified) "O" document referring to an oral disclosure, use, exhibition or other means "P" document published prior to the international filing date but later than the priority date claimed "T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention "X" document of particular relevance: the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone "Y" document of particular relevance: the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art "&" document member of the same patent family		
Date of the actual completion of the international search		Date of mailing of the international search report
18 Sept 1996		03 -10- 1996
Name and mailing address of the ISA/ Swedish Patent Office Box 5055, S-102 42 STOCKHOLM Facsimil No. +46 8 666 02 86		Authorized officer INGA-KARIN PETERSSON Telephone No. +46 8 782 25 00

Form PCT/ISA/210 (second sheet) (July 1992)

INTERNATIONAL SEARCH REPORT
Information on patent family members

05/09/96

International application No.

PCT/SE 96/00872

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
WO-A1- 9211376	09/07/92	AU-A- 9114891	22/07/92
		CA-A- 2098171	21/06/92
		EP-A- 0563189	06/10/93
		FI-D- 932804	00/00/00
		HU-A- 66754	28/12/94
		JP-T- 6507064	11/08/94
		SE-B,C- 467358	06/07/92
		SE-D- 9004096	00/00/00

THIS PAGE BLANK (USPTO)